





Shanghai Divas Glass Co,.Ltd


Office:11A Lujiazui Financial Services Plaza, No.1217 Dongfang RD, Pudong,Shanghai Factory: Chizigan Shishan, Nanhai, Foshan. Guangdong Tell:021-58955085 Cell:86 13916375190

www.bathroomledmirror.com info@choicetopia.cn



LED Bathroom Mirror & Mirror Cahinets





NO.1

-	




Size:W24"xH36"; or other customized sizes



Size:W36"xH36"; or other customized sizes

Description


Backlit+Front-lit, Double Lighting Sources;
 Dimmable & 3 Color Temperature;
 Defog Feature & Memory Function;
 Smm silver mirror, rust-resistance;
 With touch switch to control the light;
 LED driver UL approved. 120V. 50/60Hz;
 ETL certified the whole mirror;
 Easy to Install, Plug-in/Hardwired.



Size:W48"xH36"; or other customized sizes

Description

Backlit+Front-lit, Double Lighting Sources;
 Dimmable & 3 Color Temperature;
 Defog Feature & Memory Function;
 Smm silver mirror, rust-resistance;
 With touch switch to control the light;
 LED driver UL approved. 120V. 50/60Hz;
 TETL certified the whole mirror;
 Basy to Install, Plug-in/Hardwired.



Size:W24"xH36"; or other customized sizes

Backlit+Front-lit, Double Lighting Sources;
 Dimmable & 3 Color Temperature;
 Defog Feature & Memory Function;
 Smm silver mirror, rust-resistance;
 With touch switch to control the light;
 LED driver UL approved. 120V. 50/60Hz;
 T.ETL certified the whole mirror;
 Easy to Install, Plug-in/Hardwired.

Description

1.Backlit+Front-lit, Double Lighting Sources; 2.Dimmable & 3 Color Temperature; 3.Defog Feature & Memory Function; 4.5mm silver mirror, rust-resistance; 5.With touch switch to control the light; 6.LED driver UL approved. 120V. 50/60Hz; 7.ETL certified the whole mirror; 8.Easy to Install, Plug-in/Hardwired.



Size: W48"xH36"; or other customized sizes



Item No: BF-A005



Description

1.Backlit+Front-lit, Double Lighting Sources;
 2.Dimmable & 3 Color Temperature;
 3.Defog Feature & Memory Function;
 4.5mm silver mirror, rust-resistance;
 5.With touch switch to control the light;
 6.LED driver UL approved. 120V. 50/60Hz;
 7.ETL certified the whole mirror;
 8.Easy to Install, Plug-in/Hardwired.

Item No: BF-A004



Item No: BF-A006



Description

1.Backlit+Front-lit, Double Lighting Sources;

2.Dimmable & 3 Color Temperature;

3.Defog Feature & Memory Function;

4.5mm silver mirror, rust-resistance;

7.ETL certified the whole mirror;


8.Easy to Install, Plug-in/Hardwired.

5.With touch switch to control the light;

6.LED driver UL approved. 120V. 50/60Hz;

Backlit + Front-lit Mirrors





Classic Lighted Mirrors

Classic lighted mirrors are a series of best running items

www.bathroomledmirror.com


			l
			l
			l
			l
	00		



NO.2

that have being used in hotels and household bathrooms.

JL	00	



Size:W24"xH36";or other customized sizes

Description:

- 1.IP44 Rated led lighted mirror;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
 5.UL listed waterproof electric driver;
 6.ETL certified the whole mirror;
 7.Meetwine denkers

- 7.Hardwired/ plug.



Size:W36"xH36";or other customized sizes



Size:W48"xH36";or other customized sizes

Classic Lighted Mirrors

- **Description:** 1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug.

Item No: CL-A002



Size:W24"xH36";or other customized sizes



Size:W36"xH36"; or other customized sizes

Description: 1.IP44 Rated led lighted mirror; InP44 Rated led lighted million;
 Somm thickness copper free silver mirror;
 High brightness LED light, CIR90, with lifetime 50000hr;
 With touch switch, CCT changeable;
 UL listed waterproof electric driver;
 ETL certified the whole mirror;
 Hordwired / budged 7.Hardwired/ plug.




Description:

 I.IP44 Rated led lighted mirror;
 Smm thickness copper free silver mirror;
 High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch,CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired/ plug.

Item No:CL-A003

Description:

 1.IP44 Rated led lighted mirror;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch,CCT changeable;
 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug.




Size:W24"xH36";or other customized sizes



Description: 1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror; 3. High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug.



Size:W48"xH36";or other customized sizes



Size:W24"xH36";or other customized sizes

- **Description:** 1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7. Hardwired / plug

- 7.Hardwired / plug.

Description:

Description: 1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror; 3. High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired/ plug.



Size:W48"xH36";or other customized sizes

Classic Lighted Mirrors



Size:W36"xH36";Or other customi



Size:W24"xH36";or other customized sizes



Size:W36"xH36";or other customized sizes

Description:

 I.IP44 Rated led lighted mirror;
 Smm thickness copper free silver mirror;
 High brightness LED light, CIR90, with lifetime 50000hr;
 With touch switch, CCT changeable;
 UL listed waterproof electric driver;
 ETL certified the whole mirror; 7.Hardwired/ plug.



Size:W48"xH36";or other customized sizes

Description:


1.IP44 Rated led lighted mirror;
2.5mm thickness copper free silver mirror;
3.High brightness LED light, CIR90, with lifetime 50000hr;
4.With touch switch, CCT changeable;
5.UL listed waterproof electric driver;
6.ETL exciting the whole winner; 6.ETL certified the whole mirror; 7.Hardwired / plug.



Item No:CL-A007



Item No:CL-A008




- **Description:** 1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror; 3. High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7. Hardwired/ blue


- 7.Hardwired/ plug.

Item No:CL-A009

Description:

1.IP44 Rated led lighted miror; 2.5mm thickness copper free silver mirror;
3.High brightness LED light, CIR90, with lifetime 50000hr;
4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug.





Size:W24"xH36";or other customized sizes

Description:

1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror;3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable;
5.UL listed waterproof electric driver;
6.ETL certified the whole mirror;

7.Hardwired / plug.



Size:W36"xH36";or other customized sizes



Size:W48"xH36";or other customized sizes

Classic Lighted Mirrors





- 1.IP44 Rated led lighted miror;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
- 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror;
- 7.Hardwired / plug.











 1.IP44 Rated led lighted mirror;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
 5.UL listed waterproof electric driver;
 6.ETL certified the whole mirror;
 Z.Usediment of the second se 7.Hardwired/ plug.

Item No:CL-A0014

Description: 1.IP44 Rated led lighted miror; 2.5mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver;
6.ETL certified the whole mirror;
7.Hardwired / plug.





Size:W24"xH36";or other customized sizes

1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror;3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable;
5.UL listed waterproof electric driver;
6.ETL certified the whole mirror;

7.Hardwired / plug.





Size:W48"xH36";or other customized sizes

Classic Lighted Mirrors

- 1.IP44 Rated led lighted miror;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
- 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror;
- 7.Hardwired / plug.

Item No:CL-A0016 CL-A0017



Size:W22"xH65";or other customized sizes

Description:

1.IP44 Rated led lighted mirror; A.Smit Hickness copper free silver mirror;
 High brightness LED light, CIR90, with lifetime 50000hr;
 With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired/ plug.

Description: 1.IP44 Rated led lighted mirror; 2.5mm thickness copper free silver mirror; 3.High brightness LED light bulbs; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.Hardwired/ plug.

Item No:CL-A0018



Item No:CL-A0019



Item No:CL-A0019









Framed Lighted Mirrors

Framed lighted mirrors are a series of lighted mirrors with frame, the frame can protects mirror corners as well as decorates the mirrors.

20	
	20

 Framed mirror, IP44 Rated;
 Smm thickness copper free silver mirror;
 High brightness LED light, CIR90, with lifetime 50000hr;
 With touch switch, CCT changeable;
 UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug; 8.The frame can be colors of Gold, Black, Gray



Item No: FL-A001





- Framed mirror, IP44 Rated;
 Smm thickness copper free silver mirror;
 High brightness LED light, CIR90, with lifetime 50000hr;
 With touch switch, CCT changeable;
- 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror;
- 7.Hardwired / plug;
- 8.The frame can be colors of Gold, Black, Gray





 1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch,CCT changeable;
 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug; 8.The frame can be colors of Gold, Black, Gray

Item No: FL-A004



- Description.
 1. Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3. High brightness LED light CIR90, with lifetime 50000hr;
 4. With touch switch, CCT changeable;
 5. UL listed waterproof electric driver;
 6. ETL certified the whole mirror;
 7. Wathing (short)

- 7.Hardwired / plug;
- 8. The frame can be colors of Gold, Black, Gray



- **Description:** 1.Framed mirror, IP44 Rated; 2.5mm thickness copper free silver mirror; 3. High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7. Listedwired (burg)

- 7.Hardwired / plug;

8.The frame can be colors of Gold, Black, Gray

Item No: FL-A006



Item No: FL-A007



- **Description:** 1.Framed mirror, IP44 Rated; 2.5mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.111. Litted unstrange of electric drivery.
- 5.UL listed waterproof electric driver;
- 6.ETL certified the whole mirror;
- 7.Hardwired / plug;8.The frame can be colors of Gold, Black, Gray



- **Description:** 1.Framed mirror, IP44 Rated; 2.5mm thickness copper free silver mirror; 3. High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7. Listedwired (burg)

- 7.Hardwired / plug;

8.The frame can be colors of Gold, Black, Gray

Item No: FL-A008



Item No: FL-A009




- 1.Framed mirror, IP44 Rated;
- 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
- 5.UL listed waterproof electric driver;
- 6.ETL certified the whole mirror;
- 7.Hardwired / plug; 8.The frame can be colors of Gold, Black, Gray



 1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch,CCT changeable;
 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug; 8.The frame can be colors of Gold, Black, Gray

Item No: FL-A0010



- **Description:** 1.Framed mirror, IP44 Rated; 2.5mm thickness copper free silver mirror; 3.High brightness LED light,CIR90,with lifetime 50000hr; 4.With touch switch,CCT changeable; 5.UL listed waterproof electric driver;
- 6.ETL certified the whole mirror;
- 7.Hardwired / plug;
- 8. The frame can be colors of Gold, Black, Gray



Item No: FL-A0012



Description:

Description.
1. Framed mirror, IP44 Rated;
2.5mm thickness copper free silver mirror;
3. High brightness LED light, CIR90, with lifetime 50000hr;
4. With touch switch, CCT changeable;
5. UL listed waterproof electric driver;
6. ETL certified the whole mirror;
7. Hardwired / plug;
8. The frame can be colors of Gold, Black, Gray

Description:

1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
 5.UL listed waterproof electric driver;
 6.ETL certified the whole mirror;
 7.Hardwired / plug;
 8.The frame can be colors of Gold, Black, Gray

Frame Lighted Mirrors





 1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
 5.UL listed waterproof electric driver;
 CTL estified the orbeine means. 6.ETL certified the whole mirror; 7.Hardwired / plug; 8. The frame can be colors of Gold, Black, Gray

Item No: FL-A0014



Item No: FL-A0015



Frame Lighted Mirrors





- 1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
 5.UL listed waterproof electric driver;
 C.T.L. estified the other enterproof.

- 6.ETL certified the whole mirror;
- 7.Hardwired / plug;
- 8. The frame can be colors of Gold, Black, Gray



 1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch, CCT changeable;
 5.111.Histor unstreamed of the defined instrument 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug; 8.The frame can be colors of Gold, Black, Gray

Item No: FL-A0017



Item No: FL-A0018



Frame Lighted Mirrors




- 1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch,CCT changeable;
 5.UL listed waterproof electric driver;
 2.5TH Vice Letter driver;
 2.5TH Vice Letter

- 6.ETL certified the whole mirror;
- 7.Hardwired / plug;
- 8. The frame can be colors of Gold, Black, Gray




 1.Framed mirror, IP44 Rated;
 2.5mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;
 4.With touch switch,CCT changeable;
 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug; 8.The frame can be colors of Gold, Black, Gray

Item No: FL-A0020



- **Description:** 1.Framed mirror, IP44 Rated; 2.5mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch,CCT changeable; 5.UL listed waterproof electric driver; 9.5751 With the second electric driver;

- 6.ETL certified the whole mirror;
- 7.Hardwired / plug;
- 8.The frame can be colors of Gold, Black, Gray




Description: 1.Framed mirror, IP44 Rated; 2.5mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch,CCT changeable; 5.UL listed waterproof electric driver; 6.ETL certified the whole mirror; 7.Hardwired / plug; 8.The frame can be colors of Gold, Black, Gray




- **Description:** 1.Framed mirror, IP44 Rated; 2.5mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch,CCT changeable; 5.UL listed waterproof electric driver; 9.5751 With the second electric driver;

- 6.ETL certified the whole mirror;
- 7.Hardwired / plug;
- 8.The frame can be colors of Gold, Black, Gray




Mirror Cabinets



N0.4

Classic lighted mirror cabinets are a seriers of best running items that has been used in household and commercial applications such as hotels' bathroom





Size:W24"xxD4.9"xH36";or other customized sizes



Size:W36"xD4.9"xH36";or other customized sizes

Item No: MC-A001



Size:W48"xD4.9"xH36";or other customized sizes


Description:

 I.IP44 Rated led lighted mirror cabinet;
 3.3mm thickness copper free silver mirror;
 High brightness LED light, CIR90, with lifetime 50000 hr; 3. High brightness LED light, CIR90, with lifetime 51
4. With touch switch, CCT changeable;
5. UL listed waterproof electric driver;
6. Built in mirror defogger;
7. Both surface mounting and recessed mounting;
8. Two or three tempered glass shelves;
9. ETL certified the whole mirror cabinet;
10. Hardwired / surg 10.Hardwired / plug.

Description:

10.Hardwired / plug.

Description: 1.IP44 Rated led lighted mirror cabinet; 2.3mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.Built in mirror defogger; 7.Both surface mounting and recessed mounting; 8.Two or three tempered glass shelves; 9.ETL certified the whole mirror cabinet; 10 Hordwirdd / blue



Size:W24"xD4.9"xH36";or other customized sizes

Description: 1.IP44 Rated led lighted mirror cabinet; 2.3mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.Built in mirror defogger; 7.Both surface mounting and recessed mounting; 8.Two or three tempered glass shelves; 9.ETL certified the whole mirror cabinet; 10.Hardwired / plug. 10.Hardwired / plug.



Size:W36"xD4.9"xH36";or other customized sizes



Size:W48"xD4.9"xH36";or other customized sizes

- 1.IP44 Rated led lighted mirror cabinet;
 2.3mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000hr;

- 3. High brightness LED light, CIK90, with lifetime 50
 4. With touch switch, CCT changeable;
 5. UL listed waterproof electric driver;
 6. Built in mirror defogger;
 7. Both surface mounting and recessed mounting;
 8. Two or three tempered glass shelves;
 9. ETL certified the whole mirror cabinet;
 10. Hardwired (Jung
- 10.Hardwired / plug.

- 1.IP44 Rated led lighted mirror cabinet; 2.3mm thickness copper free silver mirror;
- 3. High brightness LED light, CIR90, with lifetime 50000hr; 4. With touch switch, CCT changeable;
- 5.UL listed waterproof electric driver;
- 8. Solution of the second of the se
- 10.Hardwired / plug.




Size:W24"xD4.9"xH36";or other customized sizes



Description:

 1.IP44 Rated led lighted mirror cabinet;
 2.3mm thickness copper free silver mirror;
 3.High brightness LED light, CIR90, with lifetime 50000 hr; 3. High brightness LED light, CIK90, with lifetime 5
4. With touch switch, CCT changeable;
5. UL listed waterproof electric driver;
6. Built in mirror defogger;
7. Both surface mounting and recessed mounting;
8. Two or three tempered glass shelves;
9. ETL certified the whole mirror cabinet;
10. Hardwired / blue 10.Hardwired / plug.





Size:W36"xD4.9"xH36";or other customized sizes




Size:W48"xD4.9"xH36";or other customized sizes



ze:W24"xD4.9"xH36";or other customized sizes



Size:W36"xD4.9"xH36";or other customized sizes



Size:W48"xD4.9"xH36";or other customized sizes

Description: 1.IP44 Rated led lighted mirror cabinet; 2.3mm thickness copper free silver mirror; 3.High brightness LED light, CIR90, with lifetime 50000hr; 4.With touch switch, CCT changeable; 5.UL listed waterproof electric driver; 6.Built in mirror defogger; 7.Both surface mounting and recessed mounting; 8.Two or three tempered glass shelves; 9.ETL certified the whole mirror cabinet; 10.Hardwired / pluq.

10.Hardwired / plug.

Classic Lighted Mirrors